

IITDh/IPS/LPC/2025-26/087
04th July 2025

Invitation for Quotation

Name of the Work: Supply and installation of Aluminum Partition

Location: Academic Block – 1 Room no 112

With reference to the aforementioned work, quotations are hereby invited for the said work. Interested vendors with experience in said works can submit their quotes (*as per Annexure-I*) on their official letterhead, duly attested, **in a sealed envelope via post / courier** to the following address:

To,
IPS Office (NE-113),
First Floor Admin Block,
Indian Institute of Technology Dharwad,
Permanent Campus, Chikmalligwad.
Dharwad-580011.

Deadline for submission: 20th July 2025 up to 1730 hours

NOTE:

- Any quotes received after 1730 hours on 20/07/2025 will not be accepted.
- Name of the Work / LPC number and Firm name should be mandatorily written on the sealed cover.

Sd/-
Executive Engineer
Indian Institute of Technology Dharwad

Annexure-I

BoQ for Aluminium partition at A1-112

Sl. No.	Description	Unit	Qty.	Rate (₹)	Amount (₹)
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling to be paid for separately) : For fixed portion Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)	Kg	87.38		
2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer in- charge. Pre-laminated particle board with decorative lamination on both sides	Sqm	26.46		
3	Filling the gap in between aluminium / stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic / Gypsum work by providing weather/structural non sag elastomeric PU sealant over backer rod of approved	Rmt	28.40		

	quality as per architectural drawings and direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540- F & ISO 11600 Up to 5 mm depth and 5 mm width				
TOTAL					
GST					
GRAND TOTAL					

(Contractors Sign and Seal)