

For the "Supply Installation and Commissioning of Repeated Load Testing System" INDIAN INSTITUTE OF TECHNOLOGY DHARWAD

NOTICE INVITING QUOTATIONS FOR LOCAL PURCHASE

| 1. | LPC No. | | IITDH/P1B/MMD/LPC/CIE/2025-26/342 | | |
|-----|---------------------------------------|-----------------------|---|--|--|
| 2. | Description | | For the "Supply Installation and Commissioning of Repeated Load Testing System" INDIAN INSTITUTE OF TECHNOLOGY DHARWAD | | |
| 3. | Specifications | | Annexure Attached | | |
| 4. | Quantity | | Annexure Attached | | |
| 5. | Procurement | Category | OH-35, Scientific Research Equipment | | |
| 6. | Procurement | Туре | Local Purchase | | |
| 7. | Submission | of Quotation: by ema | nil to armm@iitdh.ac.in | | |
| | Cover No. | Cover Type | Description | | |
| 8. | 1 | Technical Document | Compliances of specification with detailed catalogue/ brochure, MAF, Warranty Declaration, Bidders Information, Previous Supply Orders, Delivery Period etc. | | |
| | 2 | Financial Document | Separate financial quote with password protection to be submitted (Annexure III) (If participant is technically qualified an official email will be sent requesting the password) | | |
| 9. | Form of Cont | ract | Buy/Supply | | |
| 10. | QUOTATION | Validity (Days): | 30 Days | | |
| 11. | Period of Work/Delivery Period (Days) | | Delivery period of materials 120 days | | |
| 12. | Payment Terms | | Within 30 days (Ref Terms of Payment Section II of page no.3) | | |
| 13. | Delivery Location | | IIT Dharwad Permanent Campus, ChikkamalligawAD, Dharwad-580011, Karnataka, India | | |
| 14. | Pin Code | | 580011 | | |
| 15. | | | Assistant Registrar (MMD), IIT Dharwad Address: IIT Dharwad Permanent Campus, ChikkamalligawAD, Dharwad-580011, Karnataka, India | | |



Section – I: Instructions to participants

- 1. **Indian Institute of Technology Dharwad** invites Quotations for the item as mentioned in **SI. No. 2 of page 1** of this document and as per the **Technical Specifications** given in **Section III** of this document.
- 2. The participant should note that the **technical specifications** mentioned in **Section III** form the core of the product. The offers must strictly be as per the specifications given. At the same time, it must be kept in mind that mere copying of our specifications in the Quotation shall not make the Quotation eligible for consideration. A Quotation has to be supported with the **original catalogue** of the quoted item(s), duly signed by the **authorized person** participating. Non-compliance with the above shall be treated as **incomplete/ambiguous**, and the quote may be ignored without giving an opportunity to the participant for further **clarification/negotiation**, etc.
- 3. The participant shall ensure that the quote submitted by him includes **all accessories (as per annexures)** for full execution of the contract. The participant shall not charge extra for additional items required to meet the **operational requirement** at the stage of **installation and commissioning**.
- 4. Quotations can be submitted through Email/Speed post/Courier/by Hand.
- 5. The participant must submit all documents required for evaluation of the techno-commercial Quotation, duly signed and sealed by the competent authority of the firm. In the event of non-receipt of any of the required documents, the participant may be disqualified from the process. The Quotation or any paper related to the Quotation will not be accepted after the given deadline or the last date published on the webpage of Local Purchase listings. Further, any separate correspondence in this matter shall not be entertained.
- 6. During evaluation of the quote, the **committee** will scrutinize the documents mentioned above and may forward any or all the documents to the **concerned authorities** for **verification and authentication**. In case any document(s) as submitted by the participant is found/reported to be **fake**, the participant will be out of the **evaluation process** and suitable **legal action** may be initiated against the participant.
- 7. Besides, scrutinizing the documents submitted with the quote, the participant may be **interviewed** by the **Committee** to assess the **eligibility, capability, and suitability** of the participant.
- The above-mentioned basic eligibility conditions and additional clauses are broad guidelines for prequalification, and the Director, IIT Dharwad, hereby reserves the right to relax/alter/modify/add any or all the conditions.



Section - II: General Conditions of Contract

Evaluation of Quotation:

- a) Techno-Commercial Quotation will be evaluated for suitability as per documentary validation, eligibility criteria, and technical specifications laid out in this document. The Quotations found suitable will be recommended by the Committee and, after approval of the competent authority, shall be deemed as technically suitable offers.
- b) In case any participant is silent on any clauses mentioned in this document, IIT Dharwad shall construe that the participant has accepted the clauses of this document, and no further claim will be entertained.
- c) No revision in the terms and conditions quoted in the offer will be entertained after the last date and time fixed for receipt of the Quotation.
- d) Any OEM (or their authorized resellers) from a country that shares a land border with India will be eligible to participate in this document only if the OEM is registered with the Competent Authority in compliance with the Dept. of Expenditure, Ministry of Finance OM No. F.No.6/18/2019-PPD dated 23/07/2020, as amended from time to time.

Corrupt & Fraudulent Practices:

IIT Dharwad requires that participants, suppliers, contractors, and consultants, if any, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy, the terms set forth below are defined as follows:

- a) "Corrupt practice "means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of in kind/value to influence the action of a public official in the procurement process or in contract execution.
- b) "Fraudulent practice" means a misrepresentation or omission of facts to influence a procurement process or the execution of a contract.
- c) "Collusive practice" means a scheme or arrangement between two or more participants, designed to establish QUOTATION prices at artificial, non-competitive levels; and
- d) "Coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract.
- e) IIT Dharwad will reject a proposal for award if it determines that the participant recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract in question.

Training and pre-installation checks:

- a) The participant shall also submit training proposal for the operation and maintenance to the personnel of IIT Dharwad on the offered equipment/machinery.
- Wherever needed, our technical personnel should be trained by the supplier at the project site free of cost.
- c) The participant shall mention the pre-installation requirements for the equipment, like ambient temperature, humidity, civil work, weather specifications, power specifications, etc. When all items are provided, full performance satisfaction should be demonstrated to IIT Dharwad.

<u>Terms of Payment: (For Indigenous Supplies):</u>

Payment within 30 days from the date of delivery, installation, commissioning, demonstration, training, testing and receipt of Acceptance Certificate of concerned Department/Section/ Materials Management Division, IIT Dharwad. Payment shall be made by electronic fund transfer or such other



mode offered by the Bank. IIT Dharwad does not pay any advance payment to the party. Any request for Advance payment will be summarily rejected.

Transfer and Subletting:

The seller shall not sublet, transfer, assign, or otherwise part with the acceptance to the contract or any part thereof, either directly or indirectly, without the prior written permission of the Purchaser.

Delivery terms (only DDP, IIT DHARWAD mode of shipment acceptable):

Items should be delivered to the specified location in the permanent campus of IIT Dharwad, Karnataka, India – 580011, free of cost. The supplier should arrange for the entire process from the origin of equipment to the Stores at IIT Dharwad (including charges for safe packing, Marking & labelling, loading charges, road/air freight, insurance of goods, unloading charges, transport & unloading at buyer destination, installation, commissioning, demonstration and training; within the quoted price).

Freight & Insurance:

No freight and insurance charges will be provided, and the materials are to be delivered at IIT Dharwad Permanent Campus, IIT Dharwad at the cost and risk of the supplier within the quoted price as per the delivery terms mentioned in the above paragraphs.

Warranty Condition:

- a) The supplier must give a comprehensive on-site support and maintenance for a period specified as a part of the specifications in respect of the subject item (mentioned in Section III) from the date of commissioning and acceptance of the items.
- b) The warranty provided shall be comprehensive, meaning it must include the cost of the spares, materials, manpower, and any other incidental expenses thereto.
- c) Any deviation in the equipment and the specification from the accepted terms and conditions may lead to rejection and non-acceptance of stores. In such case, the participant/manufacturer is required to supply all the items in the specified form to the satisfaction/ specifications mentioned in the order and demonstrate at their own cost. The payments shall be made only after receiving the materials as per the required specification and quality to the satisfaction of the competent authority of IIT Dharwad.

Installation & Demonstration:

- a) The supplier is required to carry out the supply, installation, commissioning & demonstration of the subject item at the permanent campus of IIT Dharwad installation site within the delivery period; otherwise, the penalty clause will be the same as per the supply of material (refer to the liquidated damages below).
- b) In case of any mishandling/damage to items and supplies during carriage from the origin of items to the installation site, the supplier has to replace it with new items/supplies immediately at their own risk and cost. The supplier will settle his claim with the insurance company at their convenience. IIT Dharwad will not be liable for any type of losses in any form.
- c) Supplier shall be responsible for installation/demonstration wherever applicable and for after-sales service during the warranty period and thereafter as mentioned in the contract.
- d) Installation demonstration to be arranged by the supplier within the quoted price, and the same is to be done within 15 days of the arrival of the equipment at the site or whenever informed by IIT Dharwad.

Liquidated Damages:

The equipment should be delivered/dispatched to destination and ready for use not later than the delivery period specified. If the supplier fails to deliver any or all the stores or perform the service by the specified date, liquidated damages @0.5% per week or part thereof in respect of the value of the delayed stores



will be deducted from the bill, subject to a maximum of 10% value. The same terms are applicable for the installation, training, and demonstration clause mentioned above.

Dispute and Jurisdiction:

Any legal disputes arising out of any breach of contract pertaining to the whole process of this procurement shall be settled in the court of competent jurisdiction in the district of Dharwad, Karnataka.

Cancellation of Notice Inviting Quotation:

- a) Notwithstanding anything specified in this document, the Purchaser/IIT Dharwad, at its sole discretion, unconditionally and without assigning any reasons, reserves the rights:
 - 1. To accept or reject the lowest Quotation or any other Quotation or all the Quotations.
 - 2. To accept any Quotation in full or in part.
 - 3. To reject any Quotation or offer not confirming to the terms mentioned in this document.
 - 4. To cancel the Notice Inviting Quotation at any stage during the evaluation and before the award of work.
- b) Offers which deviate from the **vital conditions** (as illustrated below) of the Quotation shall be rejected:
 - 1. Non-submission of complete offers as mentioned in this document.
 - 2. Receipt of offers after the due date and time and/or by email/fax (unless specified otherwise).
 - 3. Receipt of offers in open condition.
 - 4. Conditional Quotations and unsigned Quotations will also be rejected. The Supplier shall not be liable for imposition of liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of

Force Majeure.

- a) For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, guarantine restrictions and freight embargoes.
- b) If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

Supervision of Commissioning:

The supplier shall depute concerned specialists for the supervision of the commissioning of the machine to be carried out. The Supplier shall make necessary arrangement at their own expenses for stay, transport and other expenses of their specialist during their stay in Dharwad which also includes imparting free of cost training to IIT Dharwad personnel.

The Institute Reserves the Right to:

- a) Increase or decrease the quantity of the item(s) as per requirement.
- b) Reject the QUOTATION in absence of not furnishing the documentary evidence in respect of GST and Income Tax clearance certificates together with the performance of supplies in various branches/institutions.
- c) Reject the QUOTATION in the event of non-furnishing the authentic documentary evidence in respect of Testing reports / Performance report of the concerned Govt. Organization / Institutions about the



- products being manufactured and marketed. The performance test of the product can be conducted at Institute level also for which charge will have to be borne by the suppliers.
- d) Reject the supplies already made, if not found up to the mark. Thorough checking may be adopted to test the correctness of the supply. In such an event further, action may call to conform or discard the supply.

Performance Guarantee (as per GFR 2017 Rule 171):

- a) Suppliers shall furnish 5% of the contract value as a performance security for a period of 02 months beyond the expiry of all warranty and maintenance contract related obligations within 15 days of acceptance of the Purchase Order.
- b) Performance Security may be furnished in the form of Insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt from a Commercial bank, Bank Guarantee from a Commercial bank or online payment in an acceptable form, safeguarding the purchaser's interest in all respects as per GFR 2017, Rule 171, and as amended from time to time

LOSS OR DAMAGE:

If goods supplied are found defective either in material or workmanship or do not conform to the specifications or unsuitable for the purpose for which they are meant for, the seller has to replace the required goods at free of cost. However, IIT Dharwad reserves right to reject the goods and repudiate.



Table-1

| SI. No. | | | Response by vender M/s |
|---------|---|--|------------------------|
| 1. | Unconditional acceptance to all the Terms and conditions set out herein | Declaration to be provided | |
| 2. | Price QUOTATION Format (Password-Protected File) | As per Annexure-III | |
| 3. | Price QUOTATION Currency | INR | |
| 4. | Delivery terms | Ref Delivery terms Section II of page no.4 | |
| 5. | GST Rate (If Local supply in India) | @ Applicable rates | |
| 6. | Warranty | Submit a declaration in this regard (as per Annexure-I) | |
| 7. | Blacklisting status | Submit a declaration in this regard (as per Annexure-II) | |



<u>Section – III Complete Schedule of Requirements and Compliance</u>

| | This section has following compliance requirements: | | | |
|---|---|--|--|--|
| i | Compliance for technical specifications of the equipment to be supplied | | | |

<u>Table of compliance for technical specifications of the equipment to be supplied (to be filled by participant)</u>

| | ANNEXURE 1 |
|--|--------------------------------------|
| Specifications For "Repeated Load Testing System" | Specifications of the quoted product |
| Capacity: 0 – 5T Power pack capacity: 5 Kw. | |
| Input Power: 440V 3 Ph. | |
| Protection: Single phase detection, reverse motor rotation protection, | |
| Temperature Control: Ambient to 70° C Oven (for cylindrical bitumen specimen | |
| Control Accuracy: better than or equal to +/- 0.5%. | |
| Rate of Load of frequency operation: 1 to 10 Hz continuous wave form or 0.1 sec | |
| loading period and 0.9 sec rest period pattern haver sine. | |
| Maximum Stroke : 0 – 125 mm | |
| Height: Appx 1.5mts. | |
| Base width: Appx 0.7mts. | |
| Loading arrangement: Hydraulic Actuator. | |
| Type of control: Displacement | |
| Feedback element : Load cell, LVDT. | |
| Type of Wave form : Haver Sine and static ramp | |
| Data monitoring and computation: Through DAQ & Computer | |
| Specimen: Soil Specimen - Dia 35 mm: Height 75 mm | |
| DETAILED TECHNICAL SPECIFICATIONS: | |
| REPEATED LOAD TESTING SET-UP | |
| Repeated Loading Testing Machine, Capacity 5 Tonne, Bitumen Cylindrical | |
| specimen of 100 mm Dia 63 mm thickness, Soil specimen of 35mm dia and 75 mm | |
| height and concrete/bitumen/soil beam of 500mm length and 100mm square, 75 * | |
| 75 *300 mm specimens Can be tested. Frequency of actuation: 1 Hz to 10 Hz and | |
| loading periods and Rest periods of the sine wave can be varied from 0.1 Second to | |
| 0.9 second | |
| BITUMUN specimen - Dia: 100mm Height: 62.5 mm | |
| Concrete/Bitumen/Soil Beam Specimen - 500*100*100(mm), 75*75*300(mm) | |
| hydraulic oil over temperature protection | |
| 100mm Dia 63.5 mm thick specimen only) | |
| Single phase detector & Motor reverse rotation protection | |
| Hydraulic Oil temperature over shoot cut off | |
| | |
| | |
| | |



| Note: Maximum Rated load capacity and frame capacity is 5 tons (50 KN), operating load magnitude up to 80% of rated capacity. | |
|--|--|
| The system consists of the following – | |
| Loading frame | |
| Loading system-Actuator, | |
| Hydraulic power pack | |
| Proportional valve with controller. | |
| Furnace (Only for cylindrical bitumen specimen). | |
| • Load cell – 04 Nos. and LVDT – 05 Nos. | |
| Signal conditioner for load and LVDT. | |
| Specimen mounting fixtures. | |
| Data Acquisition hardware for signal monitoring, Waveform generation and control. | |
| Data monitoring and acquisition software. | |
| Loading System: Loading system consists of: - Loading frame: Two columns Vertical mount, 5Ton capacity Frame and a Rigid Platform to place the Specimen holder, Furnace, and Fixture for mounting Horizontal and Vertical LVDTs. Servo Amplifier: The servo controller is a differential amplifier with PID control action, which supplies a servo valve with a current proportional to the difference of control and | |
| feed back voltage (Load cell). Power supply: ± 15 V. | |
| Input voltage range : ± 10 V.DC. | |
| Output capability : Max. Current ± 50 MA. | |
| M V-16 + 10 VDC | |
| Max. Voltage ± 10 V.DC. Proportional Gain : 5 – 200 MA/v. | |
| Linearity: $\pm 3\%$ of full scale. | |
| Frequency Response : - 3 dB of f 800 Hz. | |
| FURNACE: Ambient to 70 Deg C to control the test specimen temperature [For Asphalt Round specimen only] Feedback elements Loadcell, Displacement transducer, with its signal Conditioners. | |
| Brief specification is given below. | |
| LOADCELL: | |
| Range: $0 - 0.1$, 0.5 , 2 and 5 tons. | |
| Type : S Type & Universal column Type | |
| Sensor : Resistance Type Strain Gauges of 350 Ohms | |
| Bridge configuration : 4 Arms. | |
| Bridge excitation: 10 volts DC. | |



| Sensitivity: 3 mV/v /Ton. | |
|---|--|
| Combined Linearity & Hysteresis: ± 0.1 %. | |
| Output Connections: Through 4 Pin Circular MS connector with | |
| | |
| 5 Meters of 4 core cable | |
| Temperature : ambient – 50 Deg. C. | |
| Material: EN – 24. | |
| | |
| LOAD CELL CONDITIONER: | |
| Range: $0 - 0.1$, 0.5 , $2 \& 5$ tons. | |
| Bridge: Full Bridge. | |
| Bridge Resistance : 350 Ohms. | |
| Bridge Excitation: 10 Volts DC. | |
| Output : Analog 0 – 5 Volts. | |
| Accuracy: Better than or equal to +/- 0.5%. | |
| Input connection: Through 5 pin MS Connector with 5 | |
| input conficction. Through 3 pin ivis Conficctor with 3 | |
| Meters Of 4 Core Shielded cable. | |
| | |
| Power supply : 230 Volts. 50 Hz. | |
| DIODI A CEMENTETO ANODUCED. | |
| DISPLACEMENT TRANSDUCER: | |
| Cylinder Piston Position LVDT – 01 No. | |
| Horizontal LVDT – 02 Nos. | |
| Vertical LVDT – 02 Nos. | |
| Range | |
| | |
| Horizontal deformation {H1 & H2]: 0-2 mm or 5 LVDT, 1 micron resolution | |
| Vertical deformation [V1 & V2] : 0-5 or 10mm LVDT | |
| Hydraulic cylinder Position control: 0-150mm LVDT | |
| Excitation Voltage: Sinusoidal AC 1 volt at 4 K/C | |
| Input impedance: 100-Ohm Nominal. | |
| Linearity: Better than or equal to +/- 0.5 % | |
| Output: 5mV FSD. | |
| Operating Temperature : ambient to 50 \(\text{C} \) | |
| Termination : Spring | |
| | |
| DISPLACEMENT CONDITIONER: | |
| Input sensor : LVDT Coil | |
| Excitation Voltage: 1 Volt at 4 kHz. | |
| Range: Calibrated For 2mm or 5mm, | |
| | |
| 10mm & 150mm | |
| Accuracy: +/- 0.5% FS | |
| Output: 0-5 Volts DC for FSD | |
| Power Supply: 230 Volts, 50 Hz. | |
| rower supply . 250 voits, 50 mz. | |
| | |



| CONTROLLER UNIT: | |
|---|--|
| | |
| Controller and Signal Conditioning unit consists of the following – Signal conditioners for 04 Nos. of Load Cells. | |
| C | |
| Signal conditioners for 05 Nos. of LVDTs | |
| Electronic Controller for Proportional Hydraulic direction control valve. | |
| Temperature Indicator and Furnace controller | |
| DATA ACQUISITION SYSTEM CARD DETAILS: | |
| 8 Channel USB Based Data Acquisition Card: | |
| - NI Make USB Based 14 Bit 8 Channel Data Card along with Data Acquisition | |
| Software to acquire the necessary parameters in the range of +/- 5V. | |
| | |
| USB BASED DATA ACQUISITION CARD WILL BE USED FOR THE SOFTWARE: | |
| Software is LabVIEW based. Software will support the following: - | |
| 1 Load Amplitude. (Max 4 Tons) | |
| 2 No. of repetitions/ Till Specimen Failure. | |
| 3 Frequency [1-10 Hz]. | |
| 4 Haver Sine Wave form or static ramp. | |
| * | |
| 5 Online Graph of Load Output, and LVDT outputs. | |
| 6 Raw Data Storage of Load, H1, H2, V1 & V2 deformation readings in the user | |
| defined file. | |
| 7 Post test data analysis software. | |
| 8 Software filtering for Raw data of load, H1,H2,V1 & V2 | |
| 9 Resilient Modulus calculation for cylindrical Bitumen Specimen only | |
| 10 Tensile Stress for cylindrical Bitumen Specimen only | |
| 11 Initial Tensile Strain for cylindrical Bitumen Specimen only | |
| 12 Stress Difference for cylindrical bitumen specimen only | |
| 13 Specimen failure cycle | |
| 14 Maximum – Minimum values of load and LVDT readings for every cycle will be available. | |
| 15 Switching ON/Off Hydraulic Power through software controls | |
| 16 Specimen failure detection, once the deflection of the ram crosses the set limit, | |
| the ram will go up to the home position and switch off the hydraulic power by | |
| itself. | |
| | |
| MONITORING AND COMPUTATION UNIT: | |
| -Compatible Desktop PC with Pre-loaded repeated load and related driver software. | |
| -Pre-Installed USB Based Data Acquisition hardware driver. | |
| | |
| HYDRAULIC SYSTEM | |
| Hydraulic Actuators 1 ½ inch bore, 1-inch diameter rod and 125mm stroke. | |
| Hydraulic Power Pack consists of – | |
| Hydraulic Oil tank, Proportion DC Valve, Pressure Relief Valve, Pressure line filter, | |
| Pressure gauge, Electrical Motor [3 Ph], Hydraulic Pump, Hose Pipes, Temperature | |



| Sensor for Oil Temperature measurement. Separate Power ON Module for Hydraulic System. | |
|--|---------------------|
| Actuator : 1 No. | |
| Dynamic: 5 Tons. | |
| Static : 5 Tons. | |
| • Stroke : 125 mm. | |
| Max. Frequency at 1 mm amplitude : 10 Hz. | |
| Max. Working Pressure : 160 bar. | |
| • Power Input : 5.5 KW. | |
| | |
| THE TOTAL AND CONTRACTOR | |
| TERMS AND CONDITIONS | |
| • Suitable UPS, Voltage Stabilizer, and Computer System must be provided for efficient functioning of the system. | |
| • Warranty: 1 year warranty + 2 years comprehensive annual maintenance contract | |
| The supplier should have supplied at least a minimum of five systems in the past | |
| (within or outside India). Copies of PO should be attached with the technical bid. | |
| • Demonstration of the equipment, tests, results, and analysis is mandatory for | |
| technical evaluation. | |
| • Technical Support for at least 10 years after the supply of equipment. | |
| In addition to above specification the vendor has to provide catalogue/ brochenecessary technical documents in respect to the line item. | ure/ manuals and |
| I/We M/shereby declare and certify | that we comply with |
| all the above specifications. | , |
| · | |
| | |
| Authorized | Signatory with Seal |



Annexure I

DECLARATION OF COMPREHENSIVE WARRANTY AND MAINTENANCE VISITS

| I/We M/s | hereby declare that items to be supplied against |
|--|---|
| this participant shall be covered as comprehensive | warranty as given in the specifications document |
| with scheduled maintenance visit on call basis/regu | llar basis/quarterly basis. This warranty shall cover |
| defects in materials, workmanship, and performa | nce for a period of (as mentioned in |
| specification Section III) from the date of acceptance | ce/installation. |
| | |
| | |
| | |
| | |
| Date: | (Authorised signature & seal of the participant) |



Annexure-II

UNDERTAKING REGARDING BLACKLISTING / NON-DEBARMENT

| We hereby confirm and declare that we, M/sdebarment from Ministry of Finance and/or Ministry submission. | • |
|--|--|
| Any change in the above status during the evaluation Dharwad immediately. | of the present quote shall be intimated to IIT |
| Date: (Au | thorised signature & seal of the participant) |



(Annexure-III)

Price Quotation (To Be Submitted in a Separate, Password-Protected File)

| SI. No | Description of Item & Specification | Qty | HSN Code / SAC Code | Total QUOTATION |
|--------|---|------------|------------------------|--------------------|
| 1. | Supply Installation and Commissioning of Repeated Load Testing System | 01 Nos. | | |
| 2. | Discount offered (if any), on base price quoted | | | |
| 3. | Sub-Total | | | |
| 4. | IGST / CGST / SGST@ applicable Rates | | | |
| 5. | GRAND TOTAL QUOTATION PRICE | | | |

Authorised Signatory and seal